



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/942,577	08/31/2001	Kota Kiyama	35.C15744	9442

5514 7590 03/28/2002

FITZPATRICK CELLA HARPER & SCINTO
30 ROCKEFELLER PLAZA
NEW YORK, NY 10112

EXAMINER

TRAN, LY T

ART UNIT PAPER NUMBER

2853

DATE MAILED: 03/28/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/942,577

Applicant(s)

KIYAMA, KOTA

Examiner

Ly T TRAN

Art Unit

2853

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) ____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

DETAILED ACTION

Claim Objections

1. Claim 6 is objected to because of the following informalities: misspelling "coveys" should be "conveys". Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claim 2 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Specification does not explain how to detect a separation gap of the recording medium on the belt member from the belt member in the direction of recording device.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 3 and 6 are rejected under 35 U.S.C. 102(b) as being anticipated by Tsuruoka (USPN 5,502,545).

With respect to claims 1 and 6, Tsuruoka discloses a recording apparatus for rotating an endless belt member and supplying electricity to the belt member so as absorb a recording medium to the surface of the belt member and performing a recording on the recording medium by a recording device (Column 5: line 52-62) and a recording medium conveyance apparatus comprising conveyance mechanism comprising a belt (Fig.2: element 4) which conveys by rotating while contacting a recording medium and a fastening force generation mechanism for fastening the recording medium to the belt (Fig.2: element, Column 8: line 26-29) comprising:

- An electrical feeding member capable of supplying electricity to the belt member comprising a portion to be fed at a first voltage value for fastening the recording medium (Fig.2: element 35) or a second voltage value for releasing an fastening of the recording medium (Column 12: line 5-19)
- A conveyance failure detection element for detecting a conveyance failure of the recording medium (Column 8: line 60-63)
- A control portion for performing a control of belt member and electrical feeding member based on a detection signal of the conveyance failure detection element, the control portion performing a control of supplying electricity to the belt member at a second voltage value by way of the electrical supply member when the conveyance failure is detected by conveyance failure detection element or control portion for weakening the

Art Unit: 2853

fastening force generated by the fastening force generation mechanism according to the detection of conveyance failure by the conveyance failure detection element (Column 11: line 11-67, Column 12: line 1-19 and Abstract)

With respect to claim 3, discharge portion for discharging a recording medium outside the apparatus and the conveying failure detection element is a discharge conveyance failure detection element for detecting the conveyance failure of the recording medium in the vicinity of the discharge portion (Fig.2: element S9).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuruoka (USPN 5,502,545) in view of Stoeberl (USPN 4,549,826).

Tsuruoka fails to teach the conveyance failure element detects a separation gap of the recording medium on the belt member from the belt member in the direction of the recording device.

Stoebert teaches a sensor coupled to the paper leveling gap, detecting curl paper ends, folds at the end of the roll that are too pronounced and that could potentially lead to jamming of the paper (Column 1: line 11-12, line 45-52) sensing

Art Unit: 2853

means for detecting the moveable member further away from stationary member than the minimum preset width of the gap (Column 3: line 36-47, line 46-49).

It would have been obvious to one having ordinary skill in the art at the time the invention was made with a sensor coupled to the paper leveling gap, detecting curl paper ends, folds at the end of the roll that are too pronounced and that could potentially lead to jamming of the paper sensing means for detecting the moveable member further away from stationary member than the minimum preset width of the gap as taught by Stoeberl. The motivation of doing so is in order to avoid a malfunctioning paper feed therefore obtain a high paper consumption.

5. Claims 4-5, 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuruoka (USPN 5,502,545) in view of Tanno et al. (USPN 6,309,064).

Tsuruoka fails to teach recording device is an ink jet recording head and ink jet recording head uses a thermal energy as energy for emitting the ink the fastening force generation mechanism comprises a plurality of electrodes which line up in such a manner as to be long the surface contacting the recording medium of the belt and an electrical feeding member for applying a voltage in such a manner that the adjacent electrodes have different potentials and plurality of electrodes are provided in the belt.

Tanno et al. teaches recording device is an ink jet recording head and ink jet recording head uses a thermal energy as energy for emitting the ink (Fig.1, 6: line 59-677: line 1-5), the fastening force generation mechanism comprises a plurality of electrodes which line up in such a manner as to be long the surface contacting the

Art Unit: 2853

recording medium of the belt and an electrical feeding member for applying a voltage in such a manner that the adjacent electrodes have different potentials (Column 8: line 1-10, line 34-46) and plurality of electrodes are provided in the belt (Fig.6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made with the fastening force generation mechanism comprises a plurality of electrodes which line up in such a manner as to be long the surface contacting the recording medium of the belt and an electrical feeding member for applying a voltage in such a manner that the adjacent electrodes have different potentials and plurality of electrodes are provided in the belt. The motivation of doing so is in order to printing sheet is sucked toward the transporting belt, therefore, the printing sheet may not float on the side of the printing head to permit stable print (Tanno et al. USPN 6,309,064, Column 9: line 50-53).

6. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuruoka (USPN 5,502,545).

With respect to claims 9 and 10, Tsuruoka teaches applying electricity to the belt member so as to absorb a recording medium to the surface of the belt (Column 5: line 52-62), detecting conveyance failure (Column 8: line 60-63) and based on the detection, destaticize the transfer belt (Abstract). While Tsuruoka does not specifically disclose that control portion control the electrical feeding member in such a manner that the potentials of plurality of electrodes are equalized according to the detection of the conveyance failure by the conveyance failure detection element and control portion

performs an elimination of the charge which is charged in the plurality of electrodes according to the detection of the conveyance failure, it does provide the general teaching of cutting of the voltage, so as to easily to remove the paper jam.

It would have been obvious to one having ordinary skill in the art to destaticize the belt transfer when the paper jams in order to move the paper jam easily.

7. Claims 11-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsuruoka (USPN 5,502,545) Tanno et al. (USPN 6,309,064).

With respect to claims 11-17, Tsuruoka discloses a recoding apparatus comprising conveyance mechanism comprising a belt (Fig.2: element 4) which conveys by rotating while contacting a recording medium and a fastening force generation mechanism for fastening the recording medium to the belt (Fig.2: element, Column 8: line 26-29) comprising:

- A conveyance failure detection element for detecting a conveyance failure of the recording medium (Column 8: line 60-63)
- Control portion for weakening the fastening force generated by the fastening force generation mechanism according to the detection of conveyance failure by the conveyance failure detection element (Column 11: line 11-67, Column 12: line 1-19 and Abstract).

However, Tsuruoka fails to teach recording device is an ink jet recording head and ink jet recording head uses a thermal energy as energy for emitting the ink, a device support member for supporting the recording device to the position opposing to

Art Unit: 2853

the recording medium and the fastening force generation mechanism comprises a plurality of electrodes which line up in such a manner as to be long the surface contacting the recording medium of the belt and an electrical feeding member for applying a voltage in such a manner that the adjacent electrodes have different potentials and plurality of electrodes are provided in the belt.

Tanno et al. teaches recording device is an ink jet recording head and ink jet recording head uses a thermal energy as energy for emitting the ink (Fig.1, 6: line 59-677: line 1-5), a device support member for supporting the recording device to the position opposing to the recording medium (Fig.5: element 41, Column 7: line 6) and the fastening force generation mechanism comprises a plurality of electrodes which line up in such a manner as to be long the surface contacting the recording medium of the belt and an electrical feeding member for applying a voltage in such a manner that the adjacent electrodes have different potentials and plurality of electrodes are provided in the belt (Fig. 6, Column 8: line 1-10, line 34-46).

With respect to claims 14 and 15, Tsuruoka teaches applying electricity to the belt member so as to absorb a recording medium to the surface of the belt (Column 5: line 52-62), detecting conveyance failure (Column 8: line 60-63) and based on the detection, destaticize the transfer belt (Abstract). While Tsuruoka does not specifically disclose that control portion control the electrical feeding member in such a manner that the potentials of plurality of electrodes are equalized according to the detection of the conveyance failure by the conveyance failure detection element and control portion performs an elimination of the charge which is charged in the plurality of electrodes

Art Unit: 2853

according to the detection of the conveyance failure, it does provide the general teaching of cutting of the voltage, so as to easily to remove the paper jam.

It would have been obvious to one having ordinary skill in the art at the time the invention was made with the fastening force generation mechanism comprises device support member, a plurality of electrodes which line up in such a manner as to be long the surface contacting the recording medium of the belt and an electrical feeding member for applying a voltage in such a manner that the adjacent electrodes have different potentials and plurality of electrodes are provided in the belt. The motivation of doing so is in order to define a gap between the printing surface and the recording medium and printing sheet is sucked toward the transporting belt therefore, the printing sheet may not float on the side of the printing head to permit stable print (Tanno et al. USPN 6,309,064, Column 9: line 50-53).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ly T TRAN whose telephone number is 703-308-0752. The examiner can normally be reached on M-F (7:30am-5pm).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on 703-308-3126. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7724 for After Final communications.

Art Unit: 2853

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0967.

A handwritten signature, possibly reading "It", in cursive script.

March 21, 2002

A handwritten signature, likely of John Barlow, in cursive script.

John Barlow
Supervisory Patent Examiner
Technology Center 2800